Wheel brake 2361 AAA (811731)



Wheel brake 2361 AAA (811731)

Item no.	Article no.	Description	Quantity	Unit	Remark
1	247281	Bowden cable PROFI LONG LIFE 350/546	1	PC	
1	247282	Bowden cable PROFI LONG LIFE 530/726	1	PC	
1	247283	Bowden cable PROFI LONG LIFE 770/966	1	PC	
1	247284	Bowden cable PROFI LONG LIFE 890/1086	1	PC	
1	247285	Bowden cable PROFI LONG LIFE 1020/1216	1	PC	
1	247286	Bowden cable PROFI LONG LIFE 1130/1326	1	PC	
1	247287	Bowden cable PROFI LONG LIFE 1320/1516	1	PC	
1	247288	Bowden cable PROFI LONG LIFE 1430/1626	1	PC	
1	247289	Bowden cable PROFI LONG LIFE 1620/1816	1	PC	
1	247290	Bowden cable PROFI LONG LIFE 1790/1986	1	PC	
2	1651279	Braking plate welded left 2361 AAA	1	PC	
2	1651280	Braking plate welded right 2231 AAA	1	PC	
3	604262	Connection eye wheel brake 1637/2051/2361	1	PC	The open side of the connection eye for the bowden cable must show to the centre of rotation of the brake lever.
4	2187370003	Tension spring	1	PC	
5	571386	Auto reserve lever cpl. left	1	PC	
5	571387	Auto reserve lever cpl. right	1	PC	
6	1650407	Spread hinge lock cpl. 2051/2361 left AAA	1	PC	The center of rotation of the brake lever must be fixed on the same side as the bolt of the auto-reverse.

Wheel brake 2361 AAA (811731)

Item no.	Article no.	Description	Quantity	Unit	Remark
6	1650408	Spread hinge lock cpl. 2051/2361 right AAA	1	PC	The center of rotation of the brake lever must be fixed on the same side as the bolt of the auto-reverse.
7	2082000007	Tension spring	1	PC	
8	1730332	Spare parts set brake shoe 2361 AAA	1	PC	
9	1650429	Bearing bolt 2051/2361 AAA	1	PC	
10	2088800003	Compression spring	2	PC	
11	1651293	Connecting wire2261 AAA	1	PC	
12	1651290	Adjusting lever left2361 AAA	1	PC	
12	1651291	Adjusting lever right2361 AAA	1	PC	
13	1651237	Tension spring 2051/2361 AAA	1	PC	
14	694449	Compression spring 2051/2361 AAA	1	PC	
15	705405	washer 6,4 DIN 9021-ST	1	PC	
16	706012	hexnut M6 DIN 980-V-8	1	PC	For safety reasons: Self locking nuts and screws with chemical self locking must be used once. After untighten always use a new part.
17	582541	Stub axle Ø42 bend 0°30'	1	PC	
18	578834	Brake drum cpl. 140x5-M14x1,5	1	PC	
18	578835	Brake drum cpl. 165,1x5	1	PC	
18	695391	Brake drum cpl.; collar-Ø 215mm; 112x5-M12x1,5	1	PC	

The retail of individual brake shoes is not permitted by EU-directive from 1st of October 2002.

Wheel brake 2361 AAA (811731)

Item no.	Article no.	Description	Quantity	Unit	Remark
18	1224805	Spare parts set bearing (Ø80/Ø42/42) wheel brake 2361	1	PC	
18	1932109	Spare parts set brake drum 2361 cpl. with bearing; 112x5 - M12x1,5	1	PC	
19	2081670018	Wheel bolt conical 60° M12x1,5x24	1	PC	
19	2081670020	Wheel bolt sperical M12x1,5 x25	1	PC	
20	582506	Flange nut M27x2	1	PC	For safety reasons: Self locking nuts and screws with chemical self locking must be used once. After untighten always use a new part.
21	1653033	Sealing cap Ø65 AAA	1	PC	
22	368361	Bow pressure	1	PC	
23	1650416	Regulation unit left wheel brake 2051/2361 AAA	1	PC	
23	1650417	Regulation unit right wheel brake2051/2361 AAA	1	PC	
24	371387	Brake cable shell 1637-2361	1	PC	
25	371389	Protective cap	1	PC	
26	2382610002	Cover plate	2	PC	
27	694430	Plug RAL3000	3	PC	
28	706316	Round-head screw M6x60 DIN 603 8.8	1	PC	
29	703112	Hexagon lock nut M30 according to drawing	1	PC	For safety reasons: Self locking nuts and screws with chemical self locking must be used once. After untighten always use a new part.

The retail of individual brake shoes is not permitted by EU-directive from 1st of October 2002.

Wheel brake 2361 AAA (811731)

Item no.	Article no.	Description	Quantity	Unit	Remark
30	582542	Protective cap	1	PC	
31	1806463	Centering bracket left 2051/2361AAA	1	PC	The centering brace is only installed from quarter 2/2019 if the Marking WNK -.... is present on the brake plate.
31	1807220	Centering bracket right 2051/2361AAA	1	PC	The centering brace is only installed from quarter 2/2019 if the Marking WNK -.... is present on the brake plate.